



User Manual



Keyboard x1



Key cap puller x1



User manual x1

## Physical specification

Type: 75% (81 keys)

Connection way: USB wired

Cable length: 1.8 meters

Keycap: ABS

Switch: 50 million clicks

Weight: 651±10g

Dimension: 333\*140\*40mm

---

## Electrical specification


Key conflict: N-Key rollover

Backlight: rainbow

Working voltage: 5.0V±10%


Working current: ≤200 mA

Compatibility: Windows XP/Win 7/Win 8/Win 10/MaC OS




\*Plug and play

## Combination function key



### Custom backlight



- I. Press Fn+F12 to enter into custom backlight mode, F1 to F5 LEDs will keep flickering.
- II. Choose a key from F1 to F5 and start customizing the backlight: FN+F1~F5.
- III. When finish customization, press Fn+F12 combo key to save.
- IV. Done. Press FN+F1~F5 to view your customized backlight.



## Физические характеристики

Тип: 75% (81 клавиш)

Способ подключения: USB проводной

Длина кабеля: 1,8 метра

Вес: 651±10 г

Колпачок для ключей: ABS

Переключатель: 50 млн щелчков

Размер: 333\*140\*40мм

---

## Электрическая спецификация


Конфликт ключей: Ролlover N-ключа

Подсветка: радужная

Рабочее напряжение: 5,0 В±10%

Рабочий ток: ≤200 мА

Совместимость: Windows XP/Win 7/Win 8/Win 10/MaC OS




\* Включай и используй

7 Русский





### Краткое руководство по настройке подсветки



- I. Нажмите комбинацию клавиш Fn+F12, чтобы войти в настраиваемый режим подсветки, в это время индикаторы F1-F5 будут непрерывно мигать.
- II. Выберите кнопку от F1 до F5, чтобы начать настраиваемую подсветку кнопкой: Fn+F1~F5.
- III. После завершения настроек нажмите Fn+F12 для сохранения.
- IV. Нажмите Fn+F1-F5 для проверки настраиваемой подсветки.

# EK75

**Mfgr.: Dongguan Togran Electronics Technology Co., Ltd**  
**Add.: No. 110, Shidan Rd, Shijie Town, Dongguan City,**  
**Guangdong Province, China 523290**

**Tel.: +86 769 8630 8806    Fax: +86 769 8630 8826**  
**Email: [Info@dareu.com](mailto:Info@dareu.com)    [CS@dareu.com](mailto:CS@dareu.com)**  
**Web: [www.dareu.com](http://www.dareu.com)**